



MATERIAL TAKE OFF TANK PLATE

Doc No.	: TRD-011.01
Rev.	: A
Date.	: 18-Sep-2025

No.	Thick. (mm)	Witdh (mm)	Length (mm)	Material	Sub total	Spare	Qty for Purchase	Unit	Unit weight (kg)	Total weight (kg)	Remark
1	16	2000	9000	A36	36		36	Sheet	2,260.8	81,388.8	
2	16	2000	6000	A36	4		4	Sheet	1,507.2	6,028.8	
3	14	2000	9000	A36	72		72	Sheet	1,978.2	142,430.4	
4	14	2000	6000	A36	8		8	Sheet	1,318.8	10,550.4	
5	12	2000	9000	A36	36		36	Sheet	1,695.6	61,041.6	
6	12	2000	6000	A36	4		4	Sheet	1,130.4	4,521.6	
7	10	2000	9000	A36	80		80	Sheet	1,413.0	113,040.0	
8	10	2000	7000	A36	7		7	Sheet	1,099.0	7,693.0	
9	10	2000	6000	A36	4		4	Sheet	942.0	3,768.0	
10	8	2000	9000	A36	188		188	Sheet	1,130.4	212,515.2	
11	8	2000	8000	A36	1		1	Sheet	1,004.8	1,004.8	
12	8	2000	7000	A36	5		5	Sheet	879.2	4,396.0	
13	8	2000	6000	A36	8		8	Sheet	753.6	6,028.8	
14	6	2000	9000	A36	248		248	Sheet	847.8	210,254.4	
15	6	2000	7000	A36	6		6	Sheet	659.4	3,956.4	
16	6	2000	6000	A36	8		8	Sheet	565.2	4,521.6	
TOTAL					715	0	715			873,139.8	

Note:

1. Document requirement
 - a. Material certification: EN 10204 Type 3.1
 - b. Certification of Origin
 - c. Test report for additional testing where applicable
2. Plate dimension and thickness tolerance shall comply with ASTM A20M. Permitted variation under specified thickness is 0.3 mm